

All plant species recorded during ethnobotany and wood surveys from 'The role of forest gardens and forest gardeners in the UK's agroecological transition (Ponton, 2021).'

Binomial	Common name	Family	Layer
<i>Actinidia arguta</i>	hardy kiwi	actinidiaceae	VT
<i>sambucus canadensis</i>	american elder	adoxaceae	SH
<i>sambucus nigra</i>	elder	adoxaceae	LC
<i>viburnum davidii</i>	viburnum	adoxaceae	SH
<i>viburnum opulus</i>	guelder rose	adoxaceae	SH
<i>viburnum spp.</i>	viburnum	adoxaceae	SH
<i>viburnum tinis</i>	viburnum	adoxaceae	LC
<i>atriplex prostrata</i>	fat hen	amaranthaceae	HB
<i>atriplex spp.</i>	saltbush	amaranthaceae	SH
<i>beta vulgaris</i>	chard	amaranthaceae	HB
<i>blitum bonus-henricus</i>	good-king-henry	amaranthaceae	HB
<i>salsola</i>	land seaweed	amaranthaceae	HB
<i>allium</i>	ornamental onion	amaryllidaceae	HB
<i>allium ampeloprasum</i>	babington's leek	amaryllidaceae	HB
<i>allium cepa</i>	onion	amaryllidaceae	HB
<i>allium fistulosum</i>	welsh onion	amaryllidaceae	HB
<i>allium sativum</i>	garlic	amaryllidaceae	HB
<i>allium schoenoprasum</i>	chives	amaryllidaceae	HB
<i>allium triquetrum</i>	three cornered leek	amaryllidaceae	HB
<i>allium ursinum</i>	wild garlic	amaryllidaceae	GC
<i>allium x proliferum</i>	Egyptian walking onion	amaryllidaceae	HB
<i>atriplex hortensis</i>	mountain spinach	amaryllidaceae	HB
<i>galanthus sp.</i>	snowdrop	amaryllidaceae	HB
<i>rhus typhina</i>	staghorn sumac	anacardiaceae	LC
<i>asimina triloba</i>	pawpaw	annonaceae	LC
<i>cordyline australis</i>	cabbage palm	aparagaceae	UC
<i>Angelica sylvestris</i>	Wild angelica	apiaceae	HB

<i>myrrhis odorata</i>	sweet cicely	apiaceae	HB
<i>Torilis japonica</i>	Upright hedge-parsley	apiaceae	HB
<i>aegopodium podagraria L.</i>	ground elder	apiaceae	GC
<i>angelica archangelica</i>	garden angelica	apiaceae	HB
<i>anthriscus cerefolium</i>	chervil	apiaceae	HB
<i>Anthriscus sylvestris</i>	cow parsley	apiaceae	HB
<i>feoniculum vulgare</i>	fennel	apiaceae	HB
<i>heracleum mantegazzianum</i>	giant hogweed	apiaceae	HB
<i>levisticum officinale</i>	lovage	apiaceae	GC
<i>Oenanthe crocata</i>	Hemlock water- dropwort	apiaceae	HB
<i>petroselinum crispum</i>	parsley	apiaceae	HB
<i>vinca major</i>	periwinkle	apocynaceae	GC
<i>vinca major variegata</i>	greater periwinkle	apocynaceae	VT
<i>ilex aquifolium</i>	holly	aquifoliaceae	LC
<i>colocasia gigantea</i>	taro	araceae	RT
<i>lemnoideae</i>	duckweed	araceae	AQ
<i>aralia cordata</i>	japanese spikenard	araliaceae	HB
<i>aralia elata</i>	japaense angelica	araliaceae	LC
<i>fatsia japonica (thunb.) decne. & planch.</i>	japanese fatsia	araliaceae	SH
<i>Hedera helix</i>	ivy	araliaceae	GC/VT
<i>Hydrocotyle vulgaris</i>	Marsh pennywort	araliaceae	AQ
<i>trachycarpus fortunei</i>	chusan palm	arecaceae	LC
<i>bowiea volubilis</i>	climbing onion	asparagaceae	HB
<i>hosta spp.</i>	hosta	asparagaceae	HB
<i>hyacinthoides hispanica</i>	bluebell spanish	asparagaceae	HB
<i>hyacinthoides non-scripta</i>	bluebell	asparagaceae	HB
<i>polygonatum biflorum</i>	solomon's seal	asparagaceae	HB
<i>hamerocallis stella d'oro</i>	daylily	asphodelaceae	HB
<i>Hemerocallis sp.</i>	daylily	asphodelaceae	HB

<i>phormium tenax</i>	new zealand flax	asphodelaceae	SH
<i>asplenium scolopendrium</i>	hart's-tongue ferm	aspleniaceae	HB
<i>Achillea millefolium</i>	yarrow	asteraceae	HB
<i>arctium minus</i>	Lesser burdock	asteraceae	HB
<i>Arctium sp.</i>	Burdock	asteraceae	HB
<i>artemisia vulgaris</i>	mugwort	asteraceae	HB
<i>brachyglottis greyi</i>	daisy bush	asteraceae	HB
<i>calendula</i>	calendula	asteraceae	HB
<i>centaurea montana</i>	perennial cornflower	asteraceae	HB
<i>Centaurea nigra</i>	Black knapweed	asteraceae	HB
<i>cichorium intybus</i>	chicory	asteraceae	HB
<i>Cirsium</i>	Field thistle	asteraceae	HB
<i>cirsium heterophyllum</i>	melancholy thistle	asteraceae	HB
<i>cirsium spp.</i>	thistle	asteraceae	HB
<i>Cirsium vulgare</i>	Spear thistle	asteraceae	HB
<i>cosmos</i>	cosmos	asteraceae	HB
<i>Crepis biennis</i>	Rough hawk's-beard	asteraceae	HB
<i>cynara cardunculus</i>	artichoke	asteraceae	HB
<i>dahlia spp.</i>	edible dahlia	asteraceae	HB
<i>helianthus tuberosus</i>	jerusalem artichoke	asteraceae	RT
<i>Hypochoeris radicata</i>	Cats ear	asteraceae	HB
<i>jacobaea vulgaris</i>	Ragwort	asteraceae	HB
<i>lapsana communis</i>	common nipplewort	asteraceae	HB
<i>Leontodon sp</i>	Hawkbit	asteraceae	HB
<i>leucanthemum vulgare</i>	oxe eye daisy	asteraceae	HB
<i>ligularia spp.</i>	ligularia	asteraceae	HB
<i>petasites japonicus</i>	fuki	asteraceae	HB
<i>Picris echioides</i>	Bristly oxtongue	asteraceae	HB
<i>scorzonera spp.</i>	scorzonera	asteraceae	HB
<i>Senecio jacobaea</i>	Common ragwort	asteraceae	HB
<i>smallanthus sonchifolius</i>	yacon	asteraceae	RT

<i>sonchus sp.</i>	sow thistle	asteraceae	HB
<i>tagetes minuta</i>	huacatay	asteraceae	HB
<i>tanacetum vulgare</i>	common tansy	asteraceae	HB
<i>taraxacum officinale</i>	dandelion	asteraceae	HB
<i>Taraxacum sp.</i>	Dandelion	asteraceae	HB
<i>tragopogon</i>	salsify	asteraceae	HB
<i>Tragopogon pratensis</i>	Goatsbeard	asteraceae	HB
<i>Tripleurospermum inadorum</i>	Mayweed	asteraceae	HB
<i>berberis darwinii</i>	barberry	berberidaceae	SH
<i>berberis georei</i>	barberry	berberidaceae	SH
<i>berberis koreana</i>	barberry	berberidaceae	SH
<i>berberis lycium</i>	barberry	berberidaceae	LC
<i>berberis spp.</i>	barberry	berberidaceae	SH
<i>berberis x carminea buccaneer</i>	barberry	berberidaceae	LC
<i>mahonia aquifolium</i>	mahonia	berberidaceae	LC
<i>mahonia japonica</i>	mahonia	berberidaceae	SH
<i>mahonia spp.</i>	mahonia	berberidaceae	LC
<i>alnus alnobetula</i>	alder	betulaceae	LC
<i>alnus cordata</i>	italian alder	betulaceae	UC
<i>alnus glutinosa</i>	alder	betulaceae	LC
<i>alnus rubra</i>	alder	betulaceae	UC
<i>alnus viridis sinuata</i>	sitka alder	betulaceae	LC
<i>betula pendula</i>	silver birch	betulaceae	UC
<i>carpinus betulus</i>	hornbeam	betulaceae	UC
<i>corylus avellana</i>	hazel	betulaceae	LC
<i>corylus avenalla contorta</i>	corkscrew hazel	betulaceae	LC
<i>corylus maxima</i>	purple hazel	betulaceae	LC
<i>borago officinalis</i>	borage	boraginaceae	HB
<i>myosotis</i>	forget-me-not	boraginaceae	GC
<i>myosotis scorpiodes</i>	true forget-me-not	boraginaceae	HB
<i>myostis pallustris</i>	Water forget-me-not	boraginaceae	AQ

<i>Pentaglottis sempervirens</i>	Alkanet	boraginaceae	HB
<i>pentalottis sp.</i>	alkanet	boraginaceae	HB
<i>pulmonaria officinalis</i>	lungwort	boraginaceae	HB
<i>symphytum apermum Lepech.</i>	comfrey	boraginaceae	GC
<i>symphytum ibericum</i>	creeping comfrey	boraginaceae	GC
<i>Symphytum officinale</i>	Comfrey	boraginaceae	HB
<i>symphytum spp.</i>	comfrey	boraginaceae	GC
<i>alliaria petiolata</i>	garlic mustard	brassicaceae	HB
<i>armoracia rusticana</i>	horseradish	brassicaceae	HB
<i>brassica oleracea</i>	perennial kale	brassicaceae	LC
<i>brassica oleracea</i>	broccoli	brassicaceae	HB
<i>brassica oleracea</i>	kale	brassicaceae	HB
<i>brassica oleracea</i>	daubenton kale	brassicaceae	HB
<i>brassica spp.</i>	mustard	brassicaceae	HB
<i>bunias orientalis</i>	turkish rocket	brassicaceae	HB
<i>crambe maritima</i>	sea kale	brassicaceae	HB
<i>eruca vesicaria</i>	rocket	brassicaceae	HB
<i>hesperis matronalis</i>	dames rocket	brassicaceae	HB
<i>lunaria annua</i>	annual honesty	brassicaceae	HB
<i>raphanus raphanistrum</i>	radish	brassicaceae	HB
<i>sinapis alba</i>	white mustard	brassicaceae	HB
<i>moss spp.</i>	moss	bryophyta	GC
<i>sarcococca confusa</i>	christmas box	buxaceae	SH
<i>campanala</i>	bell flower	campanulaceae	HB
<i>humulus lupulus</i>	hop	cannabaceae	VT
<i>centranthus ruber</i>	valerian	caprifoliaceae	HB
<i>dipascus</i>	teasel	caprifoliaceae	HB
<i>leycesteria formosa</i>	himalayan honeysuckle	caprifoliaceae	SH
<i>lonicera caerulea</i>	blue honeysuckle	caprifoliaceae	SH
<i>lonicera caerulea</i>	blue honeysuckle	caprifoliaceae	SH

<i>lonicera nitida</i>	box honeysuckle	caprifoliaceae	SH
<i>lonicera periclymenum</i>	honeysuckle	caprifoliaceae	VT
<i>weigela florida</i>	weigela	caprifoliaceae	SH
<i>dianthus sp.</i>	dianthus	caryophyllaceae	HB
<i>agrostemma</i>	corncockle	caryophyllaceae	HB
<i>rabelera holostea</i>	stitchwort	caryophyllaceae	HB
<i>Saponaria officinalis</i>	soapwort	caryophyllaceae	HB
<i>silene dioica</i>	red campion	caryophyllaceae	HB
<i>silene vulgaris</i>	bladder campion	caryophyllaceae	HB
<i>Stellaria media</i>	Chickweed	caryophyllaceae	GC
<i>euonymus fortunei</i>	euonymus	celastraceae	LC
<i>euonymus fortunei gaiety</i>	euonymus	celastraceae	GC
<i>euonymus europaeus</i>	spindle	celastrales	LC
<i>ceratophyllum demersum</i>	hornwort	ceratophyllaceae	AQ
<i>cyanus montanus</i>	cornflower	compositae	HB
<i>tanacetum parthenium</i>	feverfew	compositae	HB
<i>arctium lappa</i>	burdock	compsitae	HB
<i>convolvulus</i>	bindweed	convolvulaceae	VT
<i>Convolvulus arvensis</i>	Field bindweed	convolvulaceae	VT
<i>ipomoea batatas</i>	sweet potato	convolvulaceae	RT
<i>cornus alba</i>	siberian dogwood	cornaceae	SH
<i>cornus capitata</i>	cornus capitata	cornaceae	LC
<i>cornus kousa</i>	chinese dogwood	cornaceae	LC
<i>cornus mas</i>	cornelian cherry	cornaceae	LC
<i>cornus sanguinea</i>	common dogwood	cornaceae	LC
<i>hylotelephium spectabile</i>	seedum spectuble	crassulaceae	HB
<i>sedum sp.</i>	sedum	crassulaceae	HB
<i>sedum spectabile</i>	autumn joy	crassulaceae	HB
<i>Bryonia dioica</i>	White Bryony	cucurbitaceae	VT
<i>chamaecyparis obtusa</i>	hinoki cyprus	cupressaceae	SH
<i>Cupressus × leylandii</i>	leylandii	cupressaceae	UC

<i>juniperus</i>	juniper	cupressaceae	SH
<i>juniperus communis</i>	juniper	cupressaceae	LC
<i>taxodium distichum</i>	swamp cypress	cupressaceae	LC
<i>Carex hirta</i>	Hairy sedge	cyperaceae	GC
<i>gymnocarpium dryopteris</i>	common oak fern	cystopteridaceae	GC
<i>newman</i>			
<i>pteridium</i>	bracken	dennstaedtiaceae	GC
<i>dioscoerea batatas</i>	chinese yam	dioscoreaceae	RT
<i>diospyros lotus</i>	date plum	ebenaceae	LC
<i>diospyros spp.</i>	persimmon	ebenaceae	LC
<i>elaeagnus</i>	elaeagnus	elaegnaceae	LC
<i>elaeagnus multiflora</i>	goumi	elaegnaceae	LC
<i>elaeagnus pugens</i>	elaeagnus	elaegnaceae	LC
<i>elaeagnus pungens thunb</i>	spiny oleaster	elaegnaceae	SH
<i>elaeagnus umbellata</i>	autumn olive	elaegnaceae	LC
<i>elaeagnus x submacrophylla</i>	elaeagnus	elaegnaceae	LC
<i>hippophae rhamnoides</i>	sea buckthorn	elaegnaceae	LC
<i>calluna vulgaris</i>	heather	ericaceae	SH
<i>gaultheria shallon</i>	salal	ericaceae	SH
<i>gaultheria spp.</i>	gaultheria	ericaceae	SH
<i>pieris japonica</i>	japanese andromeda	ericaceae	SH
<i>vaccinium</i>	cranberry	ericaceae	SH
<i>cnidoscolus aconitifolius</i>	tree spinach	euphorbiaceae	SH
<i>acacia dealbata</i>	mimosa	fabaceae	UC
<i>albizia julibrissin</i>	mimosa	fabaceae	UC
<i>amorpha fruticosa</i>	false indigo	fabaceae	SH
<i>apios americana</i>	american groundnut	fabaceae	VT
<i>Argyrocytisus battandieri</i>	moroccon broom	fabaceae	SH
<i>caragana arborescens</i>	siberian pea	fabaceae	SH
<i>cercis siliquastrum</i>	judas tree	fabaceae	LC
<i>labernum anagyroides</i>	labernum	fabaceae	SH

<i>lathyrus latifolius</i>	everlasting-pea	fabaceae	HB
<i>lathyrus odoratus</i>	sweet pea	fabaceae	HB
<i>Lathyrus pratensis</i>	Meadow Vetch	fabaceae	HB
<i>lotus pedunculatus cav.</i>	great bird's-foot-trefoil	fabaceae	HB
<i>robinia pseudoacacia</i>	black locust	fabaceae	UC
<i>sainfoin</i>	holy hay	fabaceae	HB
<i>trifolium</i>	clover	fabaceae	GC
<i>Trifolium campestre</i>	Hop trefoil	fabaceae	HB
<i>Trifolium pratense</i>	Red clover	fabaceae	HB
<i>Trifolium repens</i>	White clover	fabaceae	GC
<i>ulex europaeus</i>	gorse	fabaceae	SH
<i>vicia sativa</i>	common vetch	fabaceae	HB
<i>vicia sp.</i>	yellow vetch	fabaceae	HB
<i>wisteria sp.</i>	wisteria	fabaceae	VT
<i>medicago sativa</i>	alfalfa	fabeaceae	GC
<i>castanea pumila</i>	chinquapin	fagaceae	LC
<i>castanea sativa</i>	sweet chestnut	fagaceae	UC
<i>fagus sylvatica</i>	beech	fagaceae	UC
<i>quercus</i>	oak	fagaceae	LC
<i>geranium spp</i>	wild geranium	geraiaceae	HB
<i>Geranium dissectum</i>	Cut-leaved crane's-bill	geraniaceae	HB
<i>geranium robertianum</i>	herb robert	geraniaceae	HB
<i>geranium x johnsonii</i>	geranium johnsons blue	geraniaceae	HB
<i>ginko biloba</i>	ginko biloba	ginkoaaceae	LC
<i>ribes aureum</i>	goldencurrant	grossulariaceae	SH
<i>ribes chuckleberry</i>	chuckleberry	grossulariaceae	SH
<i>ribes divaricatum</i>	worcesterberry	grossulariaceae	SH
<i>ribes idaeus</i>	golden raspberry	grossulariaceae	SH
<i>ribes nigrum</i>	blackcurrant	grossulariaceae	SH
<i>ribes rubrum</i>	redcurrant	grossulariaceae	SH

<i>ribes sanguineum</i>	flowering currant	grossulariaceae	SH
<i>ribes uva-crispa</i>	gooseberry	grossulariaceae	SH
<i>ribes x nidigrolaria</i>	jostaberry	grossulariaceae	SH
<i>rubus grossularia</i>	gooseberry	grossulariaceae	SH
<i>hydrangea petiolaris</i>	climbing hydrangea	hydrangeaceae	VT
<i>philadelphus coronarius L.</i>	sweet mock orange	hydrangeaceae	HB
<i>Hypericum perforatum</i>	St John's Wort	hypericaceae	HB
<i>hypericum x moserianum</i>	gold flower	hypericaceae	GC
<i>crocus sativus</i>	autumn crocus	iridaceae	HB
<i>Iris pseudoacorus</i>	Yellow iris	iridaceae	AQ
<i>iris sp.</i>	flag iris	iridaceae	AQ
<i>iris spuria L.</i>	blue iris	iridaceae	HB
<i>juglans ailantifolia</i>	heartnut	juglandaceae	UC
<i>juglans cinerea</i>	butternut	juglandaceae	LC
<i>juglans regia</i>	walnut	juglandaceae	LC
<i>Juncus effuses</i>	Soft rush	juncaceae	AQ
<i>juncus spp.</i>	juncus	juncaceae	HB
<i>ajuga reptans</i>	bugleherb	lamiaceae	GC
<i>ballota sp.</i>	horehound	lamiaceae	HB
<i>Black horehound</i>	Ballota nigra	lamiaceae	HB
<i>glechoma hederacea</i>	ground ivy	lamiaceae	GC
<i>Lamium album</i>	white dead nettle	lamiaceae	HB
<i>lamium sp.</i>	dead nettle	lamiaceae	HB
<i>lavendula</i>	lavendar	lamiaceae	HB
<i>lycopus europaeus</i>	gypsywort	lamiaceae	AQ
<i>melissa officinalis</i>	lemon balm	lamiaceae	HB
<i>mentha longifolia</i>	horse mint	lamiaceae	GC
<i>mentha spicata</i>	spearmint	lamiaceae	HB
<i>mentha spp.</i>	mint	lamiaceae	GC
<i>mentha x piperita</i>	black peppermint	lamiaceae	HB
<i>metha aquatica</i>	water mint	lamiaceae	AQ

<i>metha x piperita</i>	swiss mint	lamiaceae	GC
<i>monarda</i>	bergamont	lamiaceae	HB
<i>origanum vulgare</i>	marjoram	lamiaceae	GC
<i>Salvia hispanica</i>	chia	lamiaceae	HB
<i>salvia officinalis</i>	sage	lamiaceae	HB
<i>salvia rosmarinus</i>	rosemary	lamiaceae	SH
<i>thymus vulgaris</i>	thyme	lamiaceae	HB
<i>akebia quinata</i>	chocolate vine	lardizabalaceae	VT
<i>decaisnea fargesii</i>	blue bean plant	lardizabalaceae	SH
<i>laurus nobilis</i>	bay laurel	lauraceae	LC
<i>lindera benzoin</i>	spicebush	lauraceae	HB
<i>persea americana</i>	avocado	lauraceae	HB
<i>onobrychis viciifolia</i>	sainfoin	leguminosae	HB
<i>tulipa</i>	edible tulip	liliaceae	HB
<i>Lythrum salicaria</i>	Purple loosertrife	lythraceae	AQ
<i>magnolia spp.</i>	magnolia	magnoliaceae	SP
<i>alcea rosea</i>	hollyhock	malvaceae	HB
<i>althaea hirsuta</i>	hairy marshmallow	malvaceae	HB
<i>hibiscus sp.</i>	hibisbus	malvaceae	HB
<i>lavatera</i>	tree mallow	malvaceae	SH
<i>malvaceae sp.</i>	mallow	malvaceae	HB
<i>tilia</i>	lime	malvaceae	LC
<i>tilia americana</i>	basswood	malvaceae	LC
<i>tilia cordata</i>	lime	malvaceae	LC
<i>tilia platyphyllos</i>	lime	malvaceae	LC
<i>x alcathea suffrutescens</i>	alcathea park rondell	malvaceae	SH
<i>toona sinensis</i>	toona sinensis	meliaceae	LC
<i>claytonia sibirica</i>	siberian purslane	montiaceae	GC
<i>broussonetia papyrifera</i>	paper mulberry	moraceae	LC
<i>ficus carica</i>	fig	moraceae	LC
<i>morus alba</i>	mulberry	moraceae	LC

<i>morus nigra</i>	mulberry	moraceae	SP
<i>morus serrata</i>	pakistan mulberry	moraceae	LC
<i>morus sp.</i>	mulberry	moraceae	LC
<i>musa acuminata x musa balbisiana</i>	banana	musaceae	HB
<i>myrica</i>	candleberry	myricaceae	SH
<i>myrica californica</i>	californian bayberry	myricaceae	SH
<i>myrica cerifera</i>	bayberry	myricaceae	LC
<i>fejjoa sellowiana</i>	fejjoa	myrtaceae	LC
<i>luma apiculata</i>	chilean myrtle	myrtaceae	SH
<i>ugni molinae</i>	chilean guava	myrtaceae	SH
<i>forsythia</i>	forsythia	oleaceae	SH
<i>fraxinus excelsior</i>	ash	oleaceae	LC
<i>jasminum nudiflorum</i>	winter jasmine	oleaceae	SH
<i>jasminum officinale</i>	summer jasmine	oleaceae	SH
<i>jasminum sp.</i>	jasmine	oleaceae	VT
<i>olea europaea</i>	olive	oleaceae	LC
<i>osmanthus heterophyllus</i>	false holly	oleaceae	SH
<i>epilobium</i>	willowherb	onagraceae	HB
<i>Epilobium hirsutum</i>	Great willowherb	onagraceae	HB
<i>epilobium sp.</i>	epilobium	onagraceae	HB
<i>fuchsia sp.</i>	fuchsia	onagraceae	SH
<i>oenothera biensis</i>	evening primrose	onagraceae	HB
<i>matteuccia struthiopteris</i>	ostrich fern	onocleaceae	GC
<i>anacamptis pyramidalis</i>	pyramid orchid	orchidaceae	HB
<i>averrhoa carambola</i>	star fruit	oxalidaceae	LC
<i>oxalis tuberosa</i>	oca	oxalidaceae	RT
<i>paeonia lactiflora</i>	peony	paeoniaceae	HB
<i>paeonia sp.</i>	peony	paeoniaceae	HB
<i>chelidonium majus</i>	garden calendine	papaveraceae	HB
<i>Fumaria officinalis</i>	Fumitory	papaveraceae	HB

<i>Papaver sp.</i>	Poppy	papaveraceae	HB
<i>paulownia sp.</i>	paulownia	paulowinaceae	LC
<i>phytolacca americana</i>	american pokeweed	phytolaccaceae	HB
<i>cedrus atlantica</i>	atlas cedar	pinaceae	UC
<i>pinus radiata</i>	monterey pine	pinaceae	UC
<i>pinus sylvestris</i>	scots pine	pinaceae	SP
<i>pseudotsuga menziesii</i>	douglas fir	pinaceae	UC
<i>Veronicastrum virginicum</i>	culvers root	planaginaceae	HB
<i>digitalis purpurea</i>	foxglove	plantaginaceae	HB
<i>hebe sp.</i>	hebe	plantaginaceae	LC
<i>hebe spp.</i>	hebe	plantaginaceae	LC
<i>linaria purpurea</i>	purple toadflax	plantaginaceae	HB
<i>Plantago lanceolata</i>	plantain	plantaginaceae	HB
<i>Veronica chamaedrys</i>	Germander speedwell	plantaginaceae	HB
<i>veronica sp.</i>	speedwell	plantaginaceae	HB
<i>plantago lanceolata</i>	plantain	plantaginaceae	HB
<i>plantago major</i>	plantain	plantaginaceae	HB
<i>plantago spp.</i>	plantain	plantaginaceae	HB
<i>Agrostis spp.</i>	Bent grass	poaceae	GC
<i>Anthoxanthum odoratum</i>	Sweet vernal-grass	poaceae	GC
<i>arrhenatherum elatius</i>	False oat-grass	poaceae	GC
<i>Bromus hordeaceus</i>	Soft brome	poaceae	GC
<i>bromus sterilis</i>	Barren brome	poaceae	GC
<i>Cynosurus cristatus</i>	Crested dog's-tail	poaceae	GC
<i>Dactylis glomerata</i>	Cocksfoot	poaceae	GC
<i>Elymus repens</i>	Couch grass	poaceae	GC
<i>fargesia murielae</i>	bamboo	poaceae	LC
<i>festuca rubra</i>	Red fescue	poaceae	GC
<i>Glyceria maxima</i>	Reed sweet-grass	poaceae	GC
<i>Holcus lanatus</i>	Yorkshire fog	poaceae	GC
<i>Lolium perenne</i>	Perennial rye-grass	poaceae	GC

<i>myscanthus x giganteus</i>	myscanthus	poaceae	LC
<i>phyllostachys aurea</i>	bamboo	poaceae	LC
<i>phyllostachys violascens</i>	bamboo	poaceae	LC
<i>phyllostachys viridi-glaucescens</i>	bamboo	poaceae	LC
<i>phyllostachys vivax</i>	bamboo	poaceae	LC
<i>Poa pratensis</i>	Smooth meadow-grass	poaceae	GC
<i>poaceae spp.</i>	grasses	poaceae	GC
<i>pseudosasa japonica</i>	bamboo	poaceae	LC
<i>semiarundinaria fatuosa</i>	bamboo	poaceae	LC
<i>yushania maculata</i>	bamboo	poaceae	LC
<i>rheum palmatum</i>	ornamental rhubarb	polygonaceae	HB
<i>rheum plamatum</i>	turkish rhubarb	polygonaceae	HB
<i>rheum rhaponticum</i>	rhubarb	polygonaceae	HB
<i>rumex acetosa</i>	sorel	polygonaceae	HB
<i>rumex crispus</i>	curly dock	polygonaceae	HB
<i>rumex hyrolapathum</i>	water dock	polygonaceae	AQ
<i>Rumex obtusifolius</i>	bitter dock	polygonaceae	HB
<i>rumex sanguineus</i>	red vein dock	polygonaceae	HB
<i>rumex spp.</i>	dock	polygonaceae	HB
<i>fern spp.</i>	fern	polypodiopsida spp.	GC
<i>portulaca oleracea</i>	purslane	portulacaceae	HB
<i>Potamogetan natans</i>	Broad leaved pond weed –	potamogetonaceae	AQ
<i>primula sp.</i>	cowslip	primulaceae	HB
<i>primula veris</i>	cowslip	primulaceae	HB
<i>primula vulgaris</i>	primula	primulaceae	HB
<i>aquilegia vulgaris</i>	aquilegia	rannunculaceae	HB
<i>aquilegia vulgaris L.</i>	columbine	ranunculaceae	HB
<i>caltha palustris</i>	marsh marigold	ranunculaceae	AQ
<i>delphinium spp.</i>	delphinium	ranunculaceae	HB

<i>Ranunculus acris</i>	Meadow buttercup	ranunculaceae	HB
<i>ranunculus flammula</i>	Lesser spearwort	ranunculaceae	AQ
<i>ranunculus repens</i>	creeping buttercup	ranunculaceae	HB
<i>ranunculus spp.</i>	water buttercup	ranunculaceae	AQ
<i>frangula alnus</i>	alder buckthorn	rhamnaceae	LC
<i>ziziphus jujuba</i>	chinese date	rhamnaceae	LC
<i>alchemilla sp.</i>	lady's mantle	rosaceae	HB
<i>amelanchier alnifolia</i>	amelanchier	rosaceae	LC
<i>amelanchier lamarkii</i>	amelanchier	rosaceae	SH
<i>argentina anserina</i>	silverweed	rosaceae	HB
<i>aronia</i>	aronia	rosaceae	SH
<i>aronia melanocarpa</i>	aronia	rosaceae	SH
<i>chaenomeles</i>	flowering quince	rosaceae	LC
<i>cotoneaster</i>	cotoneaster	rosaceae	SH
<i>cotoneaster horizontalis</i>	rockspray cotoneaster	rosaceae	SH
<i>cotoneaster x watereris</i>	cotoneaster	rosaceae	SH
<i>crataegus durobrivensis</i>	hawthorn	rosaceae	LC
<i>crataegus ellwangeriana</i>	haw	rosaceae	LC
<i>crataegus mollis</i>	haw	rosaceae	LC
<i>crataegus monogyna</i>	hawthorn	rosaceae	LC
<i>crataegus orientalis</i>	hawthorn orientalis	rosaceae	LC
<i>crataegus tanacetifolia</i>	haw	rosaceae	LC
<i>cretaegus laevigata</i>	hawthorn	rosaceae	LC
<i>cydonia oblonga</i>	quince	rosaceae	LC
<i>duchesnea indica</i>	false strawberry	rosaceae	GC
<i>eriobotrya japonica</i>	loquat	rosaceae	LC
<i>Filipendula ulmaria</i>	meadowsweet	rosaceae	HB
<i>fragaria vesca</i>	wild strawberry	rosaceae	GC
<i>fragaria x ananassa</i>	pineberry	rosaceae	GC
<i>geum sp.</i>	avens	rosaceae	HB
<i>geum urbanum</i>	wood avens	rosaceae	HB

<i>karpatisorbus devoniensis</i>	devon whitebeam	rosaceae	LC
<i>kerria japonica</i>	japanese kerria	rosaceae	SH
<i>malus domestica</i>	apple	rosaceae	LC
<i>malus sieversii</i>	wild apple	rosaceae	LC
<i>malus sylvestris</i>	crab apple	rosaceae	LC
<i>mespilus germanica</i>	medlar	rosaceae	LC
<i>potentilla</i>	cinquefoil	rosaceae	GC
<i>Potentilla reptans</i>	Creeping cinquefoil	rosaceae	GC
<i>prunus</i>	cherry	rosaceae	LC
<i>prunus amygdalus</i>	almond	rosaceae	LC
<i>prunus avium</i>	cherry	rosaceae	LC
<i>prunus cerasifera</i>	cherry plum	rosaceae	LC
<i>prunus cerasus</i>	sour cherry	rosaceae	LC
<i>prunus domestica</i>	damson	rosaceae	LC
<i>prunus laurocerasus</i>	cherry laurel	rosaceae	SH
<i>prunus lusitanica</i>	portuguese laurel	rosaceae	LC
<i>prunus mume</i>	japanese plum	rosaceae	LC
<i>prunus persica</i>	nectarine	rosaceae	LC
<i>prunus persica (L.) batsch</i>	peach	rosaceae	LC
<i>prunus salicina</i>	japaense plum	rosaceae	LC
<i>prunus serotina</i>	rum cherry	rosaceae	LC
<i>prunus spinosa</i>	blackthorn	rosaceae	LC
<i>prunus tomentosa</i>	nanking cherry	rosaceae	SH
<i>prunus virginiana</i>	chokecherry	rosaceae	LC
<i>prunus x rossica</i>	methley plum	rosaceae	LC
<i>pseudocydonia sinensis</i>	chinese quince	rosaceae	LC
<i>pyracantha coccinea</i>	scarlet firethorn	rosaceae	SH
<i>pyrus communis</i>	pear	rosaceae	LC
<i>Rosa arvensis</i>	Field rose	rosaceae	SH
<i>Rosa canina</i>	Dog rose	rosaceae	SH
<i>rosa gallica</i>	ancient rose	rosaceae	SH

<i>rosa moyesii</i>	rosa moyesii	rosaceae	SH
<i>rosa perpetua</i>	rose	rosaceae	SH
<i>rosa rugosa</i>	rosa rugosa	rosaceae	SH
<i>rosa spp.</i>	rose	rosaceae	SH
<i>rubus armeniacus</i>	himalayan blackberry	rosaceae	SH
<i>rubus fruticosus</i>	bramble	rosaceae	SH
<i>rubus fruticosus x rubus idaeus</i>	tayberry	rosaceae	SH
<i>rubus hayata-koidzummi</i>	creeping raspberry	rosaceae	GC
<i>rubus idaeus</i>	raspberry	rosaceae	SH
<i>rubus nepalensis</i>	nepalese raspberry	rosaceae	GC
<i>rubus phoenicolasius</i>	japanese wineberry	rosaceae	SH
<i>rubus sp.</i>	groundcover raspberry	rosaceae	GC
<i>rubus tricolor</i>	evergreen raspberry	rosaceae	GC
<i>rubus ulmifolius</i>	thornless blackberry	rosaceae	SH
<i>rubus x loganobaccus</i>	loganberry	rosaceae	SH
<i>Sanguisorba minor</i>	salad burnett	rosaceae	HB
<i>sorbus aria</i>	whitebeam	rosaceae	SH
<i>sorbus aucuparia</i>	rowan	rosaceae	LC
<i>sorbus aucuparia edulis</i>	rowan	rosaceae	LC
<i>sorbus thibestca</i>	tibetan whitebeam	rosaceae	UC
<i>sorbus torminalis</i>	wild service	rosaceae	LC
<i>spiraea japonica</i>	japanese meadowsweet	rosaceae	SH
<i>spiraea nipponica maxim</i>	snowmound spiraea	rosaceae	SH
<i>spiraea prunifolia</i>	bridalwreath	rosaceae	HB
<i>x sorbopyrus irregularis</i>	shipova pear	rosaceae	LC
<i>galium aparine</i>	cleavers	rubiaceae	GC
<i>citrus japonica</i>	kumquat	rutaceae	LC
<i>zanthoxylum giraldii</i>	sichuan	rutaceae	LC
<i>zanthoxylum schinifolium</i>	sichuan	rutaceae	LC
<i>zanthozylum armatum</i>	nepalese pepper	rutaceae	LC

<i>zanthoxylum sp.</i>	sichuan	rutaceae	LC
<i>salix viminalis</i>	willow	salicaceae	LC
<i>salix bowles</i>	willow	salicaceae	LC
<i>salix caprea</i>	goat willow	salicaceae	LC
<i>salix spp.</i>	willow	salicaceae	LC
<i>acer japonica</i>	acer	sapinaceae	LC
<i>acer campestre</i>	field maple	sapindaceae	LC
<i>acer pseudoplatanus</i>	sycamore	sapindaceae	LC
<i>aesculus hippocastanum</i>	horse chestnut	sapindaceae	LC
<i>bergenia crassifolia</i>	elephant ear	saxifragaceae	GC
<i>saxifraga x urbium</i>	london pride	saxifragaceae	GC
<i>buddleja</i>	buddleia	scrophulariaceae	SH
<i>scrophularia nodosa</i>	figwort	scrophulariaceae	HB
<i>verbascum sp.</i>	mullein	scrophulariaceae	HB
<i>atropa belladonna</i>	deadly nightshade	solanaceae	HB
<i>lycium sp.</i>	goji	solanaceae	SH
<i>physalis peruviana</i>	peruvian groundcherry	solanaceae	HB
<i>solanum lycopersicum</i>	tomato	solanaceae	HB
<i>solanum tuberosum</i>	potato	solanaceae	RT
<i>staphylea pinnata</i>	bladdernut	staphyleaceae	LC
<i>halesia carolina</i>	carolina silverbell	styracaceae	LC
<i>halesia sp.</i>	halesia	styracaceae	SH
<i>cephalotaxus harringtonia</i>	plum yew	taxaceae	LC
<i>drupacea</i>			
<i>daphne mezereum</i>	spurge laurel	thymelaeaceae	HB
<i>tropaeolum majus</i>	nasturtium	tropaeolaceae	HB
<i>tropaeolum tuberosum</i>	mashua	tropaeolaceae	RT
<i>ulmus</i>	elm	ulmaceae	LC
<i>urtica dioica</i>	nettle	urticaceae	HB
<i>verbena officinalis</i>	verbena	verbenaceae	HB
<i>viola odorata</i>	sweet violet	violaceae	GC

<i>parthenocissus quinquefolia</i>	virginia creeper	vitaceae	VT
<i>vitis spp.</i>	grapevine	vitaceae	VT
<i>vitis vinifera</i>	common grape	vitaceae	VT
<i>kniphofia uvaria oken</i>	red hot poker	xanthorrhoeaceae	HB
<i>zingiber mioga</i>	japaense ginger	zingiberaceae	RT
<i>zingiber officinale</i>	ginger	zingiberaceae	RT
<i>darmera peltata</i>	indian rhubarb	saxifragaceae	HB